

速度控制元件


速度控制阀(带快换接头、标准型)
带消声器的排气节流阀、快速排气阀、单向阀、
防止急速伸出系统用阀

	型号	缸侧 连接口径	适合管子外径		适合缸径 (mm)	页	
			公制尺寸(mm)				
			英制尺寸(英寸)				
带快换接头的速度控制阀	弯头型	AS12□1F	M3	3.2	1/8	02.5~06	1
		AS12□1F	M5	4	5/32	06~020	
		AS22□1F	1/8, 1/4	6	3/16	020~040	
		AS32□1F	1/4, 3/8	8	1/4	040~063	
		AS42□1F	1/2	10	5/16	063~0100	
	万向型	AS13□1F	M3	3.2	1/8	02.5~06	1
		AS13□1F	M5	4	5/32	06~020	
		AS23□1F	1/8, 1/4	6	3/16	020~040	
		AS33□1F	1/4, 3/8	8	1/4	040~063	
		AS43□1F	1/2	10	5/16	063~0100	
	金属阀体弯头型	AS12□1	M5	4	5/32	06~020	7
		AS22□1	1/8	6	3/16	020~032	
		AS22□1	1/4	8	1/4	020~040	
		AS32□1	3/8	10	5/16	040~063	
		AS42□1	1/2	12	1/2	063~0100	
	直通型	AS1001F		6	1/4	06~020	9
		AS2001F		8	1/4	020~032	
		AS2051F		10	1/4	020~040	
AS3001F			12	1/4	040~063		
AS4001F			15	1/2	063~0100		
双向速度控制阀	ASD230F	M5	4	5/32	06~020	13	
	ASD330F	1/8	6	3/16	020~032		
	ASD430F	1/4	8	1/4	020~040		
	ASD530F	1/4	10	1/4	020~040		
	ASD530F	3/8	12	1/4	040~063		
	ASD630F	1/2	15	1/2	063~0100		
Uni-快换接头弯头型	AS22□1F	1/8, 1/4	6	1/4	020~040	18	
	AS32□1F	3/8	8	1/4	040~063		
	AS42□1F	1/2	10	1/4	063~0100		
Uni-快换接头万向型	AS23□1F	1/8, 1/4	6	1/4	020~040	18	
	AS33□1F	3/8	8	1/4	040~063		
	AS43□1F	1/2	10	1/4	063~0100		

速度控制元件

标准型速度控制阀

弯头型




型号	缸侧 连接口径
AS1200	M3·M5
AS1400	M3
AS2200	1/8, 1/4
AS3200	3/8
AS4200	1/2

缸侧 连接口径	配管侧连接口径
M3·M5	M3 M5 1/8 1/4 3/8 1/2 3/4 1 1 1/4 1 1/2 2
M3	
1/8, 1/4	
3/8	
1/2	

配管侧连接口径		适合缸内径 (mm)	页
公制尺寸(mm)	英制尺寸(英寸)		
3.2	1/8	ø2.5~ø6	23
4	1/4	ø6~ø20	
6	3/8	ø20~ø40	
8	1/2	ø40~ø63	
10	3/4	ø63~ø100	
12	1		27
16	1 1/4	ø2.5~ø25	
20	1 1/2	ø20~ø40	
25	2	ø32~ø63	
32		ø32~ø63	
40		ø40~ø100	31
50		ø40~ø100	
63		ø63~ø125	
80		ø140~ø200	
100		ø160~ø250	
125		ø300	
150		ø300	

直通型



型号	缸侧 连接口径
AS1000	M3·M5
AS2000	1/8, 1/4
AS3000	1/4, 3/8
AS3500	1/4, 3/8
AS4000	1/4, 3/8, 1/2
AS5000	1/4, 3/8, 1/2
AS420	1/4, 3/8, 1/2
AS500	3/4
AS600	1
AS800	1 1/4
AS900	1 1/2, 2

适合管子外径

公制尺寸(mm)	英制尺寸(英寸)
3.2	1/8
4	1/4
6	3/8
8	1/2
10	3/4
12	1
16	1 1/4
20	1 1/2
25	2

带残压释放阀的速度控制阀

带快换接头的弯头型



型号	缸侧 连接口径
AS22□1FE	1/8
AS22□1FE	1/4
AS32□1FE	3/8
AS42□1FE	1/2

缸侧 连接口径	配管侧连接口径
1/8	3.2 4 6 8 10 12 1/8 5/32 3/16 1/4 5/16 3/8 1/2
1/4	
3/8	
1/2	

适合管子外径		适合缸内径 (mm)	页
公制尺寸(mm)	英制尺寸(英寸)		
3.2	1/8	ø20~ø32	35
4	1/4	ø20~ø40	
6	3/8	ø40~ø63	
8	1/2	ø63~ø100	
10	3/4	ø20~ø32	39
12	1	ø20~ø40	
16	1 1/4	ø40~ø63	
20	1 1/2	ø63~ø100	

带快换接头的万向型



型号	缸侧 连接口径
AS23□1FE	1/8
AS23□1FE	1/4
AS33□1FE	3/8
AS43□1FE	1/2

适合管子外径

公制尺寸(mm)	英制尺寸(英寸)
3.2	1/8
4	1/4
6	3/8
8	1/2
10	3/4
12	1
16	1 1/4
20	1 1/2
25	2

金属阀体直通型



型号	缸侧 连接口径
AS2000E	1/8
AS2000E	1/4
AS3000E	1/4
AS3000E	3/8
AS4000E	1/4
AS4000E	3/8
AS4000E	1/2

适合管子外径

公制尺寸(mm)	英制尺寸(英寸)
3.2	1/8
4	1/4
6	3/8
8	1/2
10	3/4
12	1
16	1 1/4
20	1 1/2
25	2

不锈钢系列速度控制阀

弯头型



型号	缸侧 连接口径
AS12□1FG	M5
AS22□1FG	1/8
AS22□1FG	1/4
AS32□1FG	3/8
AS32□1FG	1/2
AS42□1FG	

缸侧 连接口径	配管侧连接口径
M5	3.2 4 6 8 10 12 1/8 5/32 3/16 1/4 5/16 3/8 1/2
1/8	
1/4	
3/8	
1/2	

适合管子外径		适合缸内径 (mm)	页
公制尺寸(mm)	英制尺寸(英寸)		
3.2	1/8	ø6~ø20	42
4	1/4	ø20~ø32	
6	3/8	ø20~ø40	
8	1/2	ø40~ø63	
10	3/4	ø40~ø63	48
12	1	ø40~ø63	
16	1 1/4	ø63~ø100	
20	1 1/2	ø63~ø100	
25	2	ø6~ø20	51
32		ø20~ø32	
40		ø20~ø40	
50		ø20~ø40	
63		ø20~ø40	
80		ø40~ø63	
100		ø40~ø63	
125		ø63~ø100	

万向型



型号	缸侧 连接口径
AS13□1FG	M5
AS23□1FG	1/8
AS23□1FG	1/4
AS33□1FG	1/4
AS33□1FG	3/8
AS43□1FG	1/2

适合管子外径

公制尺寸(mm)	英制尺寸(英寸)
3.2	1/8
4	1/4
6	3/8
8	1/2
10	3/4
12	1
16	1 1/4
20	1 1/2
25	2

直通型



型号	缸侧 连接口径
AS1001FG	M5
AS2001FG	1/8
AS2051FG	1/4
AS3001FG	1/4
AS4001FG	3/8
AS4001FG	1/2

适合管子外径

公制尺寸(mm)	英制尺寸(英寸)
3.2	1/8
4	1/4
6	3/8
8	1/2
10	3/4
12	1
16	1 1/4
20	1 1/2
25	2

双向速度控制阀



型号	缸侧 连接口径
ASD230FG	M5
ASD330FG	1/8
ASD430FG	1/4
ASD530FG	1/4
ASD530FG	3/8
ASD630FG	1/2

适合管子外径

公制尺寸(mm)	英制尺寸(英寸)
3.2	1/8
4	1/4
6	3/8
8	1/2
10	3/4
12	1
16	1 1/4
20	1 1/2
25	2

速度控制元件

低速控制用速度控制阀	弯头型	型号	缸侧连接口径	适合管子外径		适合缸径 (mm)	页	
				公制尺寸(mm)	英制尺寸(英寸)			
				3.2 4 6 8 10 12	1/8 5/32 3/16 1/4 5/16 3/8 1/2			
低速控制用速度控制阀	万向型	AS12□1FM	M5	●	●	●	●	56
		AS22□1FM	1/8	●	●	●	●	
		AS22□1FM	1/4	●	●	●	●	
	直通型	AS1001FM		●	●	●	●	63
		AS2001FM		●	●	●	●	
		AS2051FM		●	●	●	●	
	双向速度控制阀	ASD230FM	M5	●	●	●	●	66
		ASD330FM	1/8	●	●	●	●	
		ASD430FM	1/4	●	●	●	●	
	标准型(金属阀体)	AS12□0M-M5	M5	●	●	●	●	61
		AS22□0M-01	1/8	●	●	●	●	
		AS22□0M-02	1/4	●	●	●	●	
面板安装直通型	AS1001F	AS1001F		●	●	●	●	71
		AS2001F		●	●	●	●	
		AS2051F		●	●	●	●	
		AS3001F		●	●	●	●	
		AS3001F		●	●	●	●	
		AS4001F		●	●	●	●	
用螺丝刀调整速度控制阀	弯头型	AS12□1F	M5	●	●	●	●	74
		AS22□1F	1/8, 1/4	●	●	●	●	
		AS32□1F	1/4, 3/8	●	●	●	●	
		AS42□1F	1/2	●	●	●	●	
	万向型	AS13□1F	M5	●	●	●	●	80
		AS23□1F	1/8, 1/4	●	●	●	●	
		AS33□1F	1/4, 3/8	●	●	●	●	
		AS43□1F	1/2	●	●	●	●	
	直通型	AS1001F		●	●	●	●	80
		AS2001F		●	●	●	●	
		AS2051F		●	●	●	●	
		AS3001F		●	●	●	●	
		AS3001F		●	●	●	●	
		AS4001F		●	●	●	●	
	双向速度控制阀	ASD230F	M5	●	●	●	●	83
		ASD330F	1/8	●	●	●	●	
		ASD430F	1/4	●	●	●	●	
		ASD530F	1/4	●	●	●	●	
		ASD530F	3/8	●	●	●	●	
		ASD630F	1/2	●	●	●	●	
	金属阀体弯头型	AS1200	M5	●	●	●	●	88
		AS2200	1/8, 1/4	●	●	●	●	
		AS3200	1/4, 3/8	●	●	●	●	
		AS4200	1/2	●	●	●	●	



用专用工具调整的速度控制阀	弯头型	型号	缸侧 连接口径	适合管子外径		适合缸径 (mm)	页
				公制尺寸(mm)	英制尺寸(英寸)		
				3.2 4 6 8 10 12	1/8 5/32 3/16 1/4 5/16 3/8 1/2		
		AS12□1F	M5	●	●	φ6 ~ φ20	91
		AS22□1F	1/8, 1/4	●	●	φ20 ~ φ40	
		AS32□1F	1/4, 3/8	●	●	φ40 ~ φ63	
		AS42□1F	1/2	●	●	φ63 ~ φ100	
	万向型	AS13□1F	M5	●	●	φ6 ~ φ20	96
		AS23□1F	1/8, 1/4	●	●	φ20 ~ φ40	
		AS33□1F	1/4, 3/8	●	●	φ40 ~ φ63	
		AS43□1F	1/2	●	●	φ63 ~ φ100	
	直通型	AS1001F	M5	●	●	φ6 ~ φ20	99
		AS2001F	1/8	●	●	φ20 ~ φ32	
		AS2051F	1/4	●	●	φ20 ~ φ40	
		AS3001F	3/8	●	●	φ40 ~ φ63	
		AS4001F	1/2	●	●	φ63 ~ φ100	
	双向速度控制阀	ASD230F	M5	●	●	φ6 ~ φ20	103
		ASD330F	1/8	●	●	φ20 ~ φ32	
		ASD430F	1/4	●	●	φ20 ~ φ40	
		ASD530F	3/8	●	●	φ20 ~ φ40	
		ASD530F	3/8	●	●	φ40 ~ φ63	
		ASD630F	1/2	●	●	φ63 ~ φ100	
	金属阀体弯头型	AS1200	M5	●	●	φ6 ~ φ25	106
		AS2200	1/8, 1/4	●	●	φ20 ~ φ40	
		AS3200	1/4, 3/8	●	●	φ40 ~ φ63	
		AS4200	1/2	●	●	φ63 ~ φ100	
	带先导式单向阀	ASP330F-01	1/8	●	●	φ20 ~ φ32	111
		ASP430F-02	1/4	●	●	φ20 ~ φ40	
		ASP530F-03	3/8	●	●	φ40 ~ φ63	
		ASP630F-04	1/2	●	●	φ63 ~ φ100	
带消声器的排气节流阀	ASN2系列	型号	连接口径	页			
		ASN2-M5	M5	111			
		ASN2-01	1/8				
		ASN2-02	1/4				
		ASN2-03	3/8				
		ASN2-04	1/2				
快速排气阀	AQ系列	型号	连接口径	页			
唇式		AQ1500	M5	113			
		AQ1510	1/8				
膜片式		AQ2000	1/8, 1/4	115			
		AQ3000	1/4, 3/8				
		AQ5000	1/2, 3/4				
内置快换接头		型号	连接口径	页			
		AQ240F-04	04	115			
		AQ240F-06	06				
		AQ340F-06	06				
带排气节流的快排阀	ASV系列	型号	连接口径	页			
		ASV120F-M3	M3	117			
		ASV220F-M5	M5				
		ASV310F	1/8, 1/4				
		ASV410F	1/8, 1/4, 3/8				
		ASV510F	1/4, 3/8, 1/2				
单向阀	AK系列	型号	连接口径	页			
		AK2000	1/8, 1/4	121			
		AK4000	1/4, 3/8, 1/2				
		AK6000	3/4, 1				
带快接接头的单向阀	AKH系列	型号	连接口径	页			
直通型		AKH04	M5, 1/8	123			
一侧为外螺纹型		AKH06	M5, 1/8, 1/4				
		AKH08	1/8, 1/4, 3/8				
		AKH10	1/4, 3/8, 1/2				
		AKH12	3/8, 1/2				
一侧外螺纹型	AKB系列	型号	连接口径	页			
		AKB01	1/8	123			
		AKB02	1/4				
		AKB03	3/8				
		AKB04	1/2				
防止急速伸出系统用阀	SSC系列	型号	连接口径	页			
		ASS100	1/8	128			
排气节流控制		ASS300	1/4, 3/8				
		ASS500	1/2, 3/4				
		ASS600	3/4, 1				
进气节流控制		ASS110	1/8	133			
		ASS310	1/4, 3/8				
新型节能阀	PFC-QFC阀/ ASR-ASQ系列	型号	连接口径	页			
PFC阀		ASR430F-02	1/4	133			
		ASR530F-02	1/4				
		ASR530F-03	3/8				
		ASR630F-03	3/8				
		ASR630F-04	1/2				
QFC阀		ASQ430F-02	1/4	133			
		ASQ530F-02	1/4				
		ASQ530F-03	3/8				
		ASQ630F-03	3/8				
		ASQ630F-04	1/2				